



Sample Key Lime Jack

Delta9 THC 0.19% | THCa 18.77% | Total THC (THCa * 0.877 + THC) 16.66% | Delta8 THC ND

Sample ID SD250215-042 (107418) Matrix Flower
Tested for OMG Everything
Sampled - Received Feb 14, 2025 Reported Feb 21, 2025
Analyses executed CAN+, MIBIG, MTO, PES, HME, FVI, MWA

* CAN+ - Cannabinoids

Analyzed Jan 30, 2025 | Instrument HPLC-VWD | Method SOP-001
The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.81% at the 95% Confidence Level

Table with 5 columns: Analyte, LOD mg/g, LOQ mg/g, Result %, Result mg/g. Lists various cannabinoids like CBDV, CBDa, CBGA, etc.

*Dry Weight %

HME - Heavy Metals

Analyzed Feb 19, 2025 | Instrument ICP/MSMS | Method SOP-005

Table with 5 columns: Analyte, LOD ug/g, LOQ ug/g, Result ug/g, Limit ug/g. Lists Arsenic, Cadmium, Mercury, Lead.

MIBIG - Microbial

Analyzed Feb 19, 2025 | Instrument qPCR and/or Plating | Method SOP-007

Table with 5 columns: Analyte, LOD CFU/g, LOQ CFU/g, Result CFU/g, Limit CFU/g. Lists Shiga toxin-producing Escherichia Coli, Salmonella spp., etc.

MTO - Mycotoxin

Analyzed Feb 19, 2025 | Instrument LC/MSMS | Method SOP-004

Table with 10 columns: Analyte, LOD ug/kg, LOQ ug/kg, Result ug/kg, Limit ug/kg, Analyte, LOD ug/kg, LOQ ug/kg, Result ug/kg, Limit ug/kg. Lists Ochratoxin A, Aflatoxin B2, Aflatoxin G2.

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 21 Feb 2025 17:37:21 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2018 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product.

PES - Pesticides

Analyzed Feb 19, 2025 | Instrument LC/MSMS GC/MSMS | Method SOP-003

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|-------------------------|----------|----------|-------------|------------|-----------------------|----------|----------|-------------|------------|
| Aldicarb | 0.01 | 0.02 | ND | | Carbofuran | 0.01 | 0.02 | ND | |
| Dimethoate | 0.01 | 0.02 | ND | | Etofenprox | 0.02 | 0.1 | ND | |
| Fenoxycarb | 0.01 | 0.02 | ND | | Thiachloprid | 0.01 | 0.02 | ND | |
| Daminozide | 0.01 | 0.03 | ND | | Dichlorvos | 0.02 | 0.07 | ND | |
| Imazalil | 0.02 | 0.07 | ND | | Methiocarb | 0.01 | 0.02 | ND | |
| Spiroxamine | 0.01 | 0.02 | ND | | Coumaphos | 0.01 | 0.02 | ND | |
| Fipronil | 0.01 | 0.1 | ND | | Pacllobutrazol | 0.01 | 0.03 | ND | |
| Chlorpyrifos | 0.01 | 0.04 | ND | | Ethoprophos (Prophos) | 0.01 | 0.02 | ND | |
| Baygon (Propoxur) | 0.01 | 0.02 | ND | | Chlordane | 0.04 | 0.1 | ND | |
| Chlorfenapyr | 0.03 | 0.1 | ND | | Methyl Parathion | 0.02 | 0.1 | ND | |
| Mevinphos | 0.03 | 0.08 | ND | | Abamectin | 0.03 | 0.08 | ND | |
| Acephate | 0.02 | 0.05 | ND | | Acetamiprid | 0.01 | 0.05 | ND | |
| Azoxystrobin | 0.01 | 0.02 | ND | | Bifenazate | 0.01 | 0.05 | ND | |
| Bifenthrin | 0.02 | 0.35 | ND | | Boscalid | 0.01 | 0.03 | ND | |
| Carbaryl | 0.01 | 0.02 | ND | | Chlorantranilprole | 0.01 | 0.04 | ND | |
| Clofentezine | 0.01 | 0.03 | ND | | Diazinon | 0.01 | 0.02 | ND | |
| Dimethomorph | 0.02 | 0.06 | ND | | Etoxazole | 0.01 | 0.05 | ND | |
| Fenpyroximate | 0.02 | 0.1 | ND | | Fonicamid | 0.01 | 0.02 | ND | |
| Fludioxonil | 0.01 | 0.05 | ND | | Hexythiazox | 0.01 | 0.03 | ND | |
| Imidacloprid | 0.01 | 0.05 | ND | | Kresoxim-methyl | 0.01 | 0.03 | ND | |
| Malathion | 0.01 | 0.05 | ND | | Metalaxyl | 0.01 | 0.02 | ND | |
| Methomyl | 0.02 | 0.05 | ND | | Myclobutanil | 0.02 | 0.07 | ND | |
| Naled | 0.01 | 0.02 | ND | | Oxamyl | 0.01 | 0.02 | ND | |
| Permethrin | 0.01 | 0.02 | ND | | Phosmet | 0.01 | 0.02 | ND | |
| Piperonyl Butoxide | 0.02 | 0.06 | ND | | Propiconazole | 0.03 | 0.08 | ND | |
| Prallethrin | 0.02 | 0.05 | ND | | Pyrethrin | 0.05 | 0.41 | ND | |
| Pyridaben | 0.02 | 0.07 | ND | | Spinosad A | 0.01 | 0.05 | ND | |
| Spinosad D | 0.01 | 0.05 | ND | | Spiromesifen | 0.02 | 0.06 | ND | |
| Spirotetramat | 0.01 | 0.02 | ND | | Tebuconazole | 0.01 | 0.02 | ND | |
| Thiamethoxam | 0.01 | 0.02 | ND | | Trifloxystrobin | 0.01 | 0.02 | ND | |
| Acequinocyl | 0.02 | 0.09 | ND | | Captan | 0.01 | 0.02 | ND | |
| Cypermethrin | 0.02 | 0.1 | ND | | Cyfluthrin | 0.04 | 0.1 | ND | |
| Fenhexamid | 0.02 | 0.07 | ND | | Spinetoram J,L | 0.02 | 0.07 | ND | |
| Pentachloronitrobenzene | 0.01 | 0.1 | ND | | | | | | |

FVI - Filth & Foreign Material Inspection

Analyzed Feb 17, 2025 | Instrument Microscope | Method SOP-010

| Analyte / Limit | Result | Analyte / Limit | Result |
|--|--------|--|--------|
| > 1/4 of the total sample area covered by sand, soil, cinders, or dirt | ND | > 1/4 of the total sample area covered by mold | ND |
| > 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g | ND | > 1/4 of the total sample area covered by an imbedded foreign material | ND |

MWA - Moisture Content & Water Activity

Analyzed Feb 05, 2025 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

| Analyte | LOD aw | LOQ aw | Result | Limit | Analyte | LOD aw | LOQ aw | Result | Limit |
|---------------------|--------|--------|---------|---------|----------------|--------|--------|----------|---------|
| Water Activity (WA) | 0.03 | 0.03 | 0.47 aw | 0.85 aw | Moisture (Moi) | 0.0 | 0.0 | 6.5 % Mw | 13 % Mw |

UI Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DEA license: RP0611043
 ISO/IEC 17025:2017 Acc. 85368

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
 Fri, 21 Feb 2025 17:37:21 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 209 Form Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.